



# RESIDENTIAL DC 750 VERTICAL PLATFORM LIFT



## ORDER / EVALUATION FORM

Date \_\_\_\_\_

Sales Rep \_\_\_\_\_

Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_

Fax \_\_\_\_\_

Email \_\_\_\_\_

Ref. Info \_\_\_\_\_

Account # \_\_\_\_\_

Purchase Order # \_\_\_\_\_

Ship To \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Contact \_\_\_\_\_

Phone \_\_\_\_\_

Application Residential - Single Family Home  
FBFL

Shipping Method Pick-Up Common Carrier\*

Opp Ref/Project \_\_\_\_\_

Projected Close Date \_\_\_\_\_

\* loading dock or a fork lift required

### Lifting Heights Commercial

44" Tower 72"	Residential Kit
64" Tower 92"	
78" Tower 108"	
98" Tower 126"	
115" Tower 168"	DC (2 x U1 Batteries)
130" Tower 168"	AC

### Drive Power

Exact Lifting Height \_\_\_\_\_ inches  
(measured from floor or bottom of pit to the top of landing)

### Guard Panels / Cab

- 42" High Steel Guard Panels (Standard)  
Platform Canopy
- 80" High Indoor Full Wooden Melamine Cab
- 80" High Outdoor Steel Cab & Roof  
(w/ polycarbonate windows and platform doors - x2)

### Wing Walls

- 64" Travel
- 78" Travel
- 98" Travel
- 115" Travel
- 130" Travel
- GFCI Outlet (installed in wing wall)

### Platform Dimensions \*These measurements are all clear

- 34" x 54"
- 34" x 60"
- 36" x 54"
- 36" x 60"
- Custom: W (31" to 42") x L (46" to 66")
- Custom Size: W \_\_\_\_\_ x H \_\_\_\_\_

### Keyed Call Send Controls

Flush Call Post	Flush Mount	Surface Mount	In Gate's Frame
			
Top	Top	Top	Top Gate
Bottom	Bottom	Bottom	

## Platform / Tower Configuration

90° Left Hand




Straight Thru Left Hand




0° Inline Left Hand



90° Right Hand



Straight Thru Right Hand



0° Inline Right Hand



## Stops

2 Stop

3 Stop

If 3 Stop, please select the following options:

### Mid Landing Orientation

Open on Left

Open on Right

### Mid Landing Entrance (Interlock Included)

Door 80" H x 36" W Interior

Door 80" H x 36" W Exterior

Door 80" H x 36" W Commercial

Door 80" H x 36" W Exterior Polycarbonate

Door 80" H x 38" W Interior

Door 80" H x 38" W Exterior

Door 80" H x 38" W Commercial

Door 80" H x 38" W Exterior Polycarbonate

No Door (For Doors/Gates Provided by Others)

### Mid Landing Interlock (3 Stop Units Only)

No Interlock

Add Interlock to a Selected Door

Interlock Only (For Doors Provided by Others)

### Lower Landing Entrance



Polycarbonate Gate Panel

34" or 36" W x 42" H Platform Gate

38" to 42" W x 42" H Platform Gate

Door: 80" H x	Door: 36" W	Door: 38" W
Interior wooden flush mount	Exterior flush mount insulated waterproof	Exterior polycarbonate
Commercial fire rated steel		

### Lower Landing Entrance - Interlock

No Interlock

Add Interlock to selected gate/door

Interlock Only

### Upper Landing Entrance



Polycarbonate Gate Panel

34" or 36" W x 42" H Platform Gate

38" to 42" W x 42" H Platform Gate

Door: 80" H x	Door: 36" W	Door: 38" W
Interior wooden flush mount	Exterior flush mount insulated waterproof	Exterior polycarbonate
Commercial fire rated steel		

### Upper Landing Entrance - Interlock

No Interlock

Add Interlock to selected gate/door

Interlock Only

### Auto Openers

Auto Opener for Gate Qty: \_\_\_\_\_

Auto Opener for Door Qty: \_\_\_\_\_

Wireless Remotes for Auto Openers (2x)

Gas Spring Loaded Door Closer (Std on Gates)

### Color of Unit

Grey      Stainless Steel      Custom: \_\_\_\_\_  
RAL#: \_\_\_\_\_

### Enclosure

Polycarbonate Enclosure

64"      78"      98"      115"      130"

Roof & Power Ventilation System

Tinted Polycarbonate      Glass instead of Polycarbonate

### Platform Controls & Call/Send Options

Rocker Switch, standard button

40mm Diameter Buttons

Call Station - button    QTY: \_\_\_\_\_

Platform COP

60mm Diameter Buttons

Call Station - button    QTY: \_\_\_\_\_

Platform COP

Lighted Buttons on COP

Lighted Buttons on Call/Send

Joystick

Anti Tamper Commercial Buttons

Additional Platform Controls (on opposite side)

### Other Options

Audible Emergency Alarm (resettable)

Grab Bar

Designer Gate

Easy Access Lowering Mechanism  
(moves lowering wheel from tower top to tower side)

Folding seat

Platform Lights

Disconnect switch

Unassembled unit

All Wood Crate

Fixed Ramp for Bottom Landing

1000 lbs. Capacity

Handsfree Phone

Support Bracket -      Ground      Triangle

Additional Weather Protection (very high humidity or near water)

Custom Sized Folding Ramp (less than 24")

Custom Size \_\_\_\_\_

### Fascia Panels

Galvanized Steel      Height \_\_\_\_\_  
(up to 98")

Polycarbonate      Height \_\_\_\_\_  
(3/16" Polycarbonate w/ Aluminum Frame) (up to 98")

### Delivery

Pickup at Terminal

Landing Dock or Forklift Available on Site

Flatbed and Forklift Delivery

Lift Gate