Crest Elevator Model EZ6

Price List / Order Form Effective 02-01-22

Dealer Information					
Date: Dealer #					
PO#					
Dealer:					
Phone:					
Accounts Payable Contact					
Name: Phone:					
Reference					
Job Name:					
Location:					
Shipping Information					
Shipping costs varies on location, volume and method of shipment. All shipments are FOB - Harrisonville, MO.					
☐ Freight Collect - Pay freight line direct for shipping cost					
☐ Pre-Paid Freight - Crest adds cost to your order					
☐ Customer Pick Up					
Ship to:					

Due to continually evolving product and installation codes and variations in codes among jurisdictions, certain standard features and product options may not apply to every order. SHC's authorized dealers are required to ensure that installation of each elevator complies with all local regulations and code requirements governing the installation and use of eleva-tors for the municipality in which they are installed. Crest strongly recommends that customers consult with their local authority to ensure that their elevator features and the installation of their elevator meets all regulations and code require-ments for their jurisdiction.



ELEVATORS

- Maximum travel to 31'
- Capacity: 500 lbs
- Extruded aluminum track (mill finish)
- Dual winding cable drums with 1/4" aircraft cables

General:

- Speed: 15 fpm
- Maximum number of stops: 4
- Data plates and capacity tags

Car:

- Finish: RAL 9002 powder coated metal
- Configuration: Single car entry
- Fold down seat
- Telephone
- · Sliding car door with clear visions panels

Controls:

- · Battery powered
- Battery charger
- · Controller: Circuit board
- Automatic operation
- RF wireless call stations
- Diagnostic indicator
- · Automatic lighting

Safety Devices:

- · Limit switches at each stop
- Final limit at top and bottom
- Emergency stop
- Slack cable device
- Car door switch
- Two residential Honeywell hoistway door interlocks

Rev. 01/06/22 Page 1 of 4

Crest Elevator Model EZ6

Base Price \$11,900					
Normhan of Otana					
Number of Stops ☐ 2-Stops					
·					
☐ 3-Stops*add \$1,000					
☐ 4-Stops*add \$2,000 *Includes extra interlocks and call stations					
Travel					
☐ Up to 21'included					
☐ Up to 31'add \$1,000					
Hoistway					
☐ Hoistway by others					
☐ Crest Acrylic Hoistway Enclosure					
Car Finish					
☐ Powder Coated Car WallsStd					
☐ Clear Vision Panels in Car Walls\$1,000					
Custom Color RAL Powder Coating Adds to lead time. Requires approval of sample.					
Elevator Car\$2,250					
☐ Track / Header\$600					
☐ Additional Track (3 Stop and 4 Stop \$700 ☐ Crest Enclosure (per floor)					
☐ Enclosure Style Door (hoistway by others) \$575 ea					
RAL Color #					

Optio	nal Equipment
	Enclosure Style Door with RDI Interlock (36" x 80") for hoistway by others\$1,300 RH Swing
	Flush Door Frame with RDI Interlock (36" x 80") for hoistway and door slab by others
	Fire Rated Steel Door with RDI Interlock (36" x 80") for hoistway by others
	Key Switch on Call Stations \$100 2 Stops \$150 4 Stops \$200
	Wireless Key Fob\$100 ea
	Automatic Homing\$300 Specify Floor
	Extra RDI Interlock for door by others\$300 ea
	State Code Compliance Package*\$400
	(includes Z97.1 labels, rope tags, wiring for remote disconnect by others, car mounted lockable disconnect)
	Washington State Compliance Package\$400





Rev. 01/06/22 Page 2 of 4

Car Configuration

Choose your car configuration from the illustrations below. Select one only.

= Gate opening direction






Note: Wheelchairs come in a variety of sizes. Be sure to check the size and weight of the wheelchair being used before deciding on any elevator or lift to assure choice of model will provide the space and load capacity needed.

Codes: While Crest builds all elevators to meet ASME A17.1, Part 5.3, Residential Elevator Standards when installed correctly, some states, cities and/or counties implement local codes that override these standards. Always check with the local authority having jurisdiction to verify the codes that must be adhered to in you location.



Rev. 01/06/22 Page 3 of 4

Measurements H 4th Floor to Ceiling ______ G Ceiling to 3rd Floor _____ B 3rd Floor to Ceiling _____ C 2nd Floor to Ceiling _____ B Ceiling to 2nd Floor _____



Door Openings per Floor						
	Left	Front	Right			
	. – 1	171	1			
		LJ				
4th Floor						
3rd Floor						
2nd Floor						
1st Floor						
Hoistway Door Swings						
L		JL				
RH Swing			LH Swing			
4th Floor]			
3rd Floor]			
2nd Floor]			

1st Floor



Rev. 01/06/22 Page 4 of 4